


Flor-Ever®

vinyl plastic floor covering

By the Yard

By the Tile

vinyl plastic counter top



VINYL PLASTIC

Flor-Ever®

Sparkling Floors -no scrubbing!



CUTS CLEANING CARE

It's non-porous—dirt can't get a grip!
Grit and grime slip off faster and easier.

Flor-Ever reduces cleaning time and effort because it is *non-porous* and super-calendered. Neither dry nor liquid substances can penetrate or soak into it. Dirt cannot "grip" into the tough wear layer. When soil does collect on the extra smooth surface, it can be wiped off faster and with less effort. Furthermore, Flor-Ever need never be waxed for protection or maintenance, but, if preferred, buffing with wax will quickly increase its gloss.

SETS WEAR RECORD

Flor-Ever is made with ultra-durable vinyl clear through to its unique Permo-Seal back. Exhaustive tests and rigorous usage under normal household conditions have proved this remarkable material is less worn by abrasion and soap cleaners than any non-vinyl floor covering and that Flor-Ever will outwear non-vinyl floor coverings 50% thicker.

No household grease, oil or fat will stain, soften or harm Flor-Ever.



Even harsh cleaners containing acids, alkali or lye can't bleach, discolor or harm Flor-Ever.



Flor-Ever, the vinyl plastic floor covering, is naturally lustrous. Its sparkle lasts longer and buffing with a liquid wax will more speedily make it glow.





1 DESIGN IDEA Blocks formed by four Tropicana (16) tiles interspersed with Sage Green (38) blocks on a Sunshine Yellow (45) field; border, Sage Green (38).

2 DESIGN IDEA Four Dawn Gray (28) tiles within a frame of Moderne (18) tiles set in a field of Silver Fox (26). Red and White strips in border.



by the
YARD or
TILE


offers the
ultimate
in design versatility




3 DESIGN IDEA
Alternating "chain" strips of Dawn Gray (28) tiles and Cherry Red (23) tiles set in a Kohinoor (19) field, White strip in border.



4 DESIGN IDEA
Mosaic-like arrangement of Sage Green (38) tiles set in field of Spring Green (37) tile, with a matching Sage Green (38) border.



BY THE YARD
BY THE TILE



Seven widths by the yard for floors and counter tops:
72", 42", 36", 30", 24", 9" and
1" feature strips

Tile size: 9" x 9"

VINYL PLASTIC
Flor-Ever® STANDARD

CREATED BY THE WORLD'S LEADER IN

VINYL FLOORING

Flor-Ever is the plastic marvel acclaimed by architects and decorators, which has revolutionized flooring standards . . . new glorious freedom from cleaning care . . . new breath-taking beauty.

MARVELOUS MATCHING

COUNTER TOP

Flor-Ever makes the perfect matching or harmonizing counter top. Cleaners, juices, grease cannot stain or harm its miracle-tough beauty. Wipes clean jet-quick!



#49 Woodtone



#23 Cherry Red



#19 Kohinoor



#45 Sunshine Yellow



#48 Leaf Green



#28 Dawn Gray



#16 Tropicana



#29 Highlight Gray



#38 Sage Green



#37 Spring Green



#32 Pacific Blue



#24 Peppermint Red



#40 Nutmeg



#18 Moderne



#26 Silver Fox

VINYL PLASTIC

Flor-Ever®

CORDOROY . . .

When decorators everywhere get excited, there must be a good reason—and Flor-Ever Cordonoy is it! It's easy to see why. Patterned in delightful shadowy

twists of rope, Cordonoy is different from anything ever seen before in tiles.

Like all Flor-Ever vinyl flooring, Cordonoy is as magically practical as it is lovely.

Flor-Ever means glorious freedom from cleaning care—ends scrubbing forever!

Grime can't grip that ultra-smooth, non-porous surface. Grease, oil and soil

can't stain it. A damp mop swishes off mess *in seconds!* No waxing for protection—polish Flor-Ever Cordonoy only for added lustre!

Unique "Shadowy Rope" marking . . .

decorative color harmonizing!

TILE SIZE: 9" x 9"




No. 204



No. 206



No. 207



No. 208



No. 205



No. 203

RANCH MINK

WHITE LEAF

GUNMETAL

A

NEW
STYLE

IN

TILE

Smart Decorative Possibilities....

Cordoroy lends itself to countless design possibilities, especially when used in combination with Flor-Ever Standard. The 8 Cordoroy colors offer 99 color combinations, even if you use no more than 3 colors per floor.



No. 202

FLAME



No. 201

WHITE FLAME



Flor-Ever®

VINYL ASBESTOS TILE

The amazing new Flor-Ever Vinyl Asbestos Tile . . . tough, economical, beautiful . . . in 12 stunning vinyl-toned colors . . . developed especially for use in basements, ranch homes, over concrete, or wherever moisture or alkali might ruin ordinary flooring.

Like all Flor-Ever vinyl flooring, Vinyl Asbestos is a cinch to keep sparkling bright. The nonporous surface resists grease, oil, juice and alcohol . . . and never needs waxing for protection or maintenance.

$\frac{1}{16}$ " GAUGE



No. 353



No. 360



No. 359



No. 363



No. 357




No. 358



No. 367



No. 366



No. 364

WHITE JADE

FOR CONCRETE FLOORS
EASIEST TO CLEAN
EASIEST TO INSTALL
SUPER-WEARING



No. 362

CLOVE RED



No. 361

WHITE CLOVE



No. 365

JADE GREEN



THE SLOANE INSTALLATION KIT

Designed by experts to make installation simple for everyone, the Sloane kit contains all the tools necessary for quick, easy and economical installation of Sloane-Delaware Tile and Wall Covering.

As illustrated, the Sloane Kit contains the following:

- A. Illustrated, easy-to-follow instruction booklet.
- B. Handy carpenter's chalk for marking cord when laying out floors and walls.
- C. Three-ply, 12-cable cord for striking guide lines.
- D. Linoleum knife with blade of cold-rolled steel with coined edge carefully ground to permit scoring, skiving, and cutting.
- E. Spreader trowel blade is high-carbon steel with serrated edges to insure correct spreading of all Sloane adhesives.
- F. High-carbon swaged steel awl is excellent for holding string, marking, or scoring.

Kits packed 12 to carton, weight: 18 lbs.

Individual kits weigh 1½ lbs.



VINYL PLASTIC

Flor-Ever®

SUPREME TILE

WORLD'S FINEST
VINYL TILE

9" x 9"

1/8" Gauge

ALL MARBLETONE AND CRYSTALLTONE
NUMBERS AVAILABLE IN FEATURE
STRIPS 1/2" TO 4" WIDE, 36" LONG

Floor at left is Flor-Ever Crystaltone—
Buckskin Taupe, No. 4514, and Choco-
late Brown, No. 4115.



WHITE

Marbletone 4101

Crystaltone 4501



BLACK

Marbletone 4100

Crystaltone 4500



GARNET

Marbletone 4103


Crystaltone 4503



MAPLE TAN

Marbletone 4104

Crystaltone 4504



SURF GREEN

Marbletone 4106

Crystaltone 4506



HUNTER GREEN

Marbletone 4107

Crystaltone 4507

Flor-Ever Supreme is the King of vinyl flooring . . . the finest, heavyweight resilient tile made. For use in homes, office buildings, public institutions and other places where wearing ability and smartness are the greatest consideration. Outstanding resistance to indentation . . .

Glowing, sharply designed decorator colors go through entire tile thickness. Non-porous surface sheds dust and dirt, stays clean.



CHOCOLATE BROWN
Marbletone 4115 Crystaltone 4515




DOVE GRAY
Marbletone 4108 Crystaltone 4508



COPENHAGEN BLUE
Marbletone 4109 Crystaltone 4509



PEONY
Marbletone 4121 Crystaltone 4521




PIMENTO
Marbletone 4122 Crystaltone 4522




CHARTREUSE
Marbletone 4119 Crystaltone 4519



EMBER GRAY
Marbletone 4123 Crystaltone 4523



BUCKSKIN TAUPE
Marbletone 4114 Crystaltone 4514




POPCORN CREAM
Marbletone 4125 Crystaltone 4525



Flor-Ever Cove Molding—In 1½" top set, 10 colors, makes a practical finish trim for counter tops, lavatory, bath, and at ceiling-wall and wall-baseboard intersections.



End view—Inside Wall Corner Strip.



End view—Outside Wall Corner Strip.



Inside and Outside Wall Corners, Cove Base enhance finished installation.



Flor-Ever Cove Base—In 9 colors, 4" or 6" top set, highly recommended as one of the finest long-wearing, easy-to-clean, floor-wall intersection trims. Easy to install, fits snugly.



Here's the miracle vinyl plastic, Sloane Flor-Ever, in a variety of trim forms, shapes, and sizes for finishing. Highly flexible, easy to install, its non-porous surface resists grease, fading, and wear. Requires a minimum of care.


COVE BASE • COVE MOLDING • CAP STRIP FEATURE STRIP • WALL CORNER STRIP

Feature Strip—Cap Strip—Wall Corner Strip—in a variety of solid colors. These Sloane Flor-Ever accessories afford contrast and a trim, finished appearance to any installation of resilient floor or wall material.



BLACK

Cove Base	4000
Cove Molding	4700
Cap Strip	4720
Feature Strip	4740
Wall Corner Strip (Inside)	I-4760
(Outside)	O-4760




WHITE

Cove Molding	4701
Feature Strip	4741



CLARET

Cove Base	4003
Cove Molding	4703
Cap Strip	4743
Feature Strip	
Wall Corner Strip (Inside)	
(Outside)	




WEDGWOOD

Cove Base	4004
Cove Molding	4704
Cap Strip	4724
Feature Strip	4744
Wall Corner Strip (Inside)	I-4764
(Outside)	O-4764




SMOKE

Cove Base	4005
-----------	------




PEARL

Cove Base	4007
Cove Molding	4707
Cap Strip	4727
Wall Corner Strip (Inside)	I-4767
(Outside)	O-4767




FORSYTHIA

Cove Molding	4709
Cap Strip	4729
Feature Strip	4749
Wall Corner Strip (Inside)	I-4769
(Outside)	O-4769




TOREADOR

Cove Base	4011
Cove Molding	4711
Cap Strip	4731
Feature Strip	4751
Wall Corner Strip (Inside)	I-4471
(Outside)	O-4771




CHOCOLATE

Cove Base	4014
Cove Molding	4714
Cap Strip	4734
Wall Corner Strip (Inside)	I-4774
(Outside)	O-4774



DRIFTWOOD

Cove Base	4015
Cove Molding	4715
Cap Strip	4755



BALSAM

Cove Base	4016
Cove Molding	4716
Cap Strip	4736
Feature Strip	4756
Wall Corner Strip (Inside)	I-4776
(Outside)	O-4776

Cove Base available in 4" and 6" top set.
Cove Molding available in 1½" top set.

Feature Strip available in ½" to 4" widths, 36" long; also available in Marbletone and Crystaltone effects. See pages 12 and 13.

► Use This Chart to Determine Number of Tiles Required for Floor and Wall Installations

First, determine square feet of area to be covered, then, use chart to find number of tiles needed to cover the area. This chart applies to tiles laid parallel or diagonal. Diagonal length of 6 x 6-inch tile is 8½ inches; 9 x 9-inch tile, 12½ inches; 6 x 12-inch tile, 13½ inches; 12 x 12 inch tile, 17 inches.

No. of Sq. Ft.	No. of 9" x 9" Tile	No. of 6" x 6" Tile	No. of Sq. Ft.	No. of 9" x 9" Tile	No. of 6" x 6" Tile	No. of Sq. Ft.	No. of 9" x 9" Tile	No. of 6" x 6" Tile	No. of Sq. Ft.	No. of 9" x 9" Tile	No. of 6" x 6" Tile	No. of Sq. Ft.	No. of 9" x 9" Tile	No. of 6" x 6" Tile	No. of Sq. Ft.	No. of 9" x 9" Tile	No. of 6" x 6" Tile
10	18	40	69	123	276	128	228	512	187	332	748	246	437	984	305	542	1220
11	20	44	70	124	280	129	229	516	188	334	752	247	439	988	306	544	1224
12	21	48	71	126	284	130	231	520	189	336	756	248	441	992	307	546	1228
13	23	52	72	128	288	131	233	524	190	338	760	249	443	996	308	548	1232
14	25	56	73	130	292	132	235	528	191	340	764	250	444	1000	309	549	1236
15	27	60	74	132	296	133	236	532	192	341	768	251	446	1004	310	551	1240
16	28	64	75	133	300	134	238	536	193	343	772	252	448	1008	311	553	1244
17	30	68	76	135	304	135	240	540	194	345	776	253	450	1012	312	555	1248
18	32	72	77	137	308	136	242	544	195	347	780	254	452	1016	313	556	1252
19	34	76	78	139	312	137	244	548	196	348	784	255	453	1020	314	558	1256
20	36	80	79	140	316	138	245	552	197	350	788	256	455	1024	315	560	1260
21	37	84	80	142	320	139	247	556	198	352	792	257	457	1028	316	562	1264
22	39	88	81	144	324	140	249	560	199	354	796	258	459	1032	317	564	1268
23	41	92	82	146	328	141	251	564	200	356	800	259	460	1036	318	565	1272
24	43	96	83	148	332	142	252	568	201	357	804	260	462	1040	319	567	1276
25	44	100	84	149	336	143	254	572	202	359	808	261	464	1044	320	569	1280
26	46	104	85	151	340	144	256	576	203	361	812	262	466	1048	321	571	1284
27	48	108	86	153	344	145	258	580	204	363	816	263	468	1052	322	572	1288
28	50	112	87	155	348	146	260	584	205	364	820	264	469	1056	323	574	1292
29	52	116	88	156	352	147	261	588	206	366	824	265	471	1060	324	576	1296
30	53	120	89	158	356	148	263	592	207	368	828	266	473	1064	325	578	1300
31	55	124	90	160	360	149	265	596	208	370	832	267	475	1068	326	580	1304
32	57	128	91	162	364	150	267	600	209	372	836	268	476	1072	327	581	1308
33	59	132	92	164	368	151	268	604	210	373	840	269	478	1076	328	583	1312
34	60	136	93	165	372	152	270	608	211	375	844	270	480	1080	329	585	1316
35	62	140	94	167	376	153	272	612	212	377	848	271	482	1084	330	587	1320
36	64	144	95	169	380	154	274	616	213	379	852	272	484	1088	331	588	1324
37	66	148	96	171	384	155	276	620	214	380	856	273	485	1092	332	590	1328
38	68	152	97	172	388	156	277	624	215	382	860	274	487	1096	333	592	1332
39	69	156	98	174	392	157	279	628	216	384	864	275	489	1100	334	594	1336
40	71	160	99	176	396	158	281	632	217	386	868	276	491	1104	335	596	1340
41	73	164	100	178	400	159	283	636	218	388	872	277	492	1108	336	597	1344
42	75	168	101	180	404	160	284	640	219	389	876	278	494	1112	337	599	1348
43	76	172	102	181	408	161	286	644	220	391	880	279	496	1116	338	601	1352
44	78	176	103	183	412	162	288	648	221	393	884	280	498	1120	339	603	1356
45	80	180	104	185	416	163	290	652	222	395	888	281	500	1124	340	604	1360
46	82	184	105	187	420	164	292	656	223	396	892	282	501	1128	341	606	1364
47	84	188	106	188	424	165	293	660	224	398	896	283	503	1132	342	608	1368
48	85	192	107	190	428	166	295	664	225	400	900	284	505	1136	343	610	1372
49	87	196	108	192	432	167	297	668	226	402	904	285	507	1140	344	612	1376
50	89	200	109	194	436	168	299	672	227	404	908	286	508	1144	345	613	1380
51	91	204	110	196	440	169	300	676	228	405	912	287	510	1148	346	615	1384
52	92	208	111	197	444	170	302	680	229	407	916	288	512	1152	347	617	1388
53	94	212	112	199	448	171	304	684	230	409	920	289	514	1156	348	619	1392
54	96	216	113	201	452	172	306	688	231	411	924	290	516	1160	349	620	1396
55	98	220	114	203	456	173	308	692	232	412	928	291	517	1164	350	622	1400
56	100	224	115	204	460	174	309	696	233	414	932	292	519	1168	351	624	1404
57	101	228	116	206	464	175	311	700	234	416	936	293	521	1172	352	626	1408
58	103	232	117	208	468	176	313	704	235	418	940	294	523	1176	353	628	1412
59	105	236	118	210	472	177	315	708	236	420	944	295	524	1180	354	629	1416
60	107	240	119	212	476	178	316	712	237	421	948	296	526	1184	355	631	1420
61	108	244	120	213	480	179	318	716	238	423	952	297	528	1188	356	633	1424
62	110	248	121	215	484	180	320	720	239	425	956	298	530	1192	357	635	1428
63	112	252	122	217	488	181	322	724	240	427	960	299	532	1196	358	636	1432
64	114	256	123	219	492	182	324	728	241	428	964	300	533	1200	359	638	1436
65	116	260	124	220	496	183	325	732	242	430	968	301	535	1204	360	640	1440
66	117	264	125	222	500	184	327	736	243	432	972	302	537	1208	365	649	1460
67	119	268	126	224	504	185	329	740	244	434	976	303	539	1212	370	658	1480
68	121	272	127	226	508	186	331	744	245	436	980	304	540	1216	375	666	1500

EASY....FAST....ECONOMICAL....

Flor-Ever Installation

The installation of Flor-Ever is, in most respects, identical to that of linoleum or linoleum tile. It is cut, handled and cemented with the same tools and similar types of adhesives. Because Flor-Ever is so flexible that it can be bent on itself without showing surface cracks, many mechanics have found Flor-Ever is installed with unusual speed. Flor-Ever can be installed on almost any sub-floor as follows:

CONCRETE—Above grade:

Must be SMOOTH, thoroughly DRY and not in contact with the ground. Flor-Ever, by the yard or tile, can be cemented directly to it.

—On grade or below grade: Use FLOR-EVER VINYL ASBESTOS TILE—

Specifically designed and manufactured for use on grade or below grade to eliminate the necessity for special adhesives and sealers. Further information on Flor-Ever Vinyl Asbestos Tile will be supplied upon request.

WOOD—

Must be double constructed, with finished flooring being of tongue and groove manufacture with $2\frac{1}{4}$ " wide face or plywood $\frac{1}{4}$ " or thicker. The finished floor shall be firmly nailed, and brought to a smooth even finish to receive the floor covering. New wood floors shall receive a coat of floor sealer after sanding to reduce the possibility of boards warping from seasonal atmospheric changes.

—old floors:

Remove any existing residue, such as oil, wax, paint, or varnish which would otherwise prevent proper bonding of adhesives used. All boards that are warped, rotted or otherwise unsuitable as a firm underfloor shall be removed and replaced. Sloaneboard, or Plywood of grade "good one side" are recommended as the second flooring on new construction, or to cover over old floors too costly to repair. Either type of underlayment board should be thoroughly nailed according to manufacturer's specifications.

NOTE:

If floor is made of 2" boards, or wider, it is possible that lumber shrinkage will cause large cracks between the boards. If tile were laid so that the joints fall over or near the joints in the floor boards and these joints open up, then the joints between the tiles may also open up. This can be prevented only by laying the tile diagonally in the room.

The use of lining felt under tiles minimizes separation due to floor board movement but will not prevent it.

FLOR-EVER By the Yard:

Can be cemented directly to any wood sub-floor meeting above description. Lay with seams at right angles to the boards.

FLOR-EVER Tiles:

Flor-Ever tiles may be laid direct to concrete Sloaneboard or plywood. Over tongue and groove wood floors a lightweight semi-saturated felt should be installed, such as Twin-Ply Felt. The felt shall be laid at right angles to the boards and be evenly butted. Felt shall be cemented to the wood sub-floor with Flor-Ever paste and applied evenly with a wall trowel. A gallon of Flor-Ever paste will cover approximately 150 sq. ft. of floor area.

ADHESIVES:

Flor-Ever paste is recommended for installation of both yard goods and tiles, and for felt lining when used. Where more than normal moisture may be expected in maintenance, Sloane-Delaware Damp Proof Cement should be used. Further information will be supplied upon request.

TEMPERATURES:

Flor-Ever should be stored in a warm room (at least 72° Fahrenheit) for 24 hours before installation. This temperature should be maintained during installation and for at least 48 hours thereafter to allow cements to dry.

ROLLING:

During the process of installing either Flor-Ever yard goods or tiles the material should receive thorough rolling as the work progresses. A standard 150 lb. roller should be used when obtainable. A household rolling pin can be used as an effective tool to work out air pockets in lieu of heavy roller. Any excessive paste on the surface of Flor-Ever should be wiped off with a damp cloth upon completion of installation.

Super-flexible Flor-Ever permits SELF-COVING

Because Flor-Ever is so flexible, an exceptionally neat, serviceable and sanitary cove can be obtained by running the Flor-Ever right up the wall over a supporting cove strip.





SLOANE-DELAWARE
Flor-Ever®
VINYL PLASTIC COUNTER TOP

marvelous matching

FLOR-EVER-TOP®



Flor-Ever makes the perfect matching or harmonizing counter top. Cleaners, juices, grease cannot stain or harm its miracle-tough beauty. It's non-porous, too...dirt cannot "grip" into the tough wear layer. When soil does collect on the extra-smooth surface, it can be wiped off faster and with less effort.

**NOW...FOUR BEAUTIFUL
BRUSHTONE COLORINGS!**

SLOANE-DELAWARE FLOR-EVER-TOP
ALWAYS AVAILABLE IN STANDARD
MARBLE PATTERNS TO MATCH YARD
GOODS AND TILES.

Flor-Ever®

**BRUSHTONE
COUNTER
TOP**



911

Flor-Ever makes the perfect counter top . . .

SUNSHINE YELLOW

912

Cleaners, juices, grease cannot stain . . .

MINT GREEN



**SLOANE-
DELAWARE**



913

Flor-Ever's miracle-tough beauty wipes clean jet-quick!

DAWN GRAY

914


Enjoy glorious freedom from cleaning cares . . .

CHERRY RED



SIZES:

42", 36", 30", 24"



High Style in Tile


with **NEW** **Flor-Ever®**

Vinyl Universal Tile




4609—.125
4409—.080

COPENHAGEN BLUE



4614—.125
4414—.080

BUCKSKIN TAUPE



4622—.125
4422—.080

PIMENTO

Crystaltone patterns in .125 and .080 gauges for

- **BRIGHT, CLEAR BEAUTY**
- **LONGER WEAR**

Universal Tile, the homogeneous Vinyl floor tile offers unlimited possibilities to increase YOUR MARKET, YOUR VOLUME, YOUR PROFIT, and YOUR PRESTIGE!

Sloane-Delaware pioneered the use of vinyl in floor coverings. Now, Sloane-Delaware engineering and ingenuity have created a resilient vinyl tile to equal the best and meet every test!

A unique decorative effect, Crystaltone Universal Tiles create an air of distinction wherever used . . . and these tiles, priced realistically, can be used everywhere!

Colors go clean through Flor-Ever Vinyl Universal Tile. Science has created it to take the maximum beating and to stay clean, bright, and beautiful for years.

COLORS:
TILE SIZE:
CRYSTALTONE
FEATURE STRIPS:


12
9" x 9"
1/2" to 4" widths, up to
36" long

new **Flor-Ever** Vinyl Universal Tile

Made in a carnival of colors, Flor-Ever Vinyl Universal Tile complements any interior decor. Never affected by grease, oil, alkali, or strong soaps. It's fade-proof . . . stain-proof—needs only soap and water mopping . . . waxing is optional. Where traffic is heaviest, choose Flor-Ever Vinyl Universal Tile with confidence.



4615—.125
4415—.080 CHOCOLATE BROWN




4625—.125
4425—.080 POPCORN CREAM




4606—.125
4406—.080 SURF GREEN



4607—.125
4407—.080 HUNTER GREEN



4623—.125
4423—.080 EMBER GRAY



4621—.125
4421—.080 PEONY



4601—.125
4401—.080 WHITE



4600—.125
4400—.080 BLACK



4608—.125
4408—.080 DOVE GRAY



Have you seen the



floor planning book
featuring Sloane-Delaware floors?



SUPERIOR FLOOR PRODUCTS BY

Sloane - Delaware

1954

FLOR-EVER SUPREME	FLOR-EVER STANDARD	FLOR-EVER CORDOROY
FLOR-EVER VINYL ASBESTOS	FLOR-EVER-TOP	FLOR-EVER UNIVERSAL
FLORAN	FINELINE	MARBLETONE
MADISON SQUARE	REGENCY	TRENTONE
		THRIFTWALL
		CORK TILE

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL

www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

Sloane - Delaware

SUPERIOR FLOOR PRODUCTS

TRENTON

NEW JERSEY